

Uniclass L5361	EPIC E425
Cl/SfB (43) X	

gripfit® Surface Mounted Matting Systems

Textile matting solutions



the gripfit[®] system



Simple and Effective Matting


Effective matting can reduce moisture and dirt entering a property by 95%, but is yours working, is it safe, and does it reduce the risk of slip or trip accidents?

With these thoughts in mind gripfit have designed a framed matting system that can be easily installed and hold a high quality entrance mat, that can allow easy removal for cleaning, yet allow high volumes of traffic to cross in complete safety.

The gripfit system is a perfect solution for organisations who wish to comply with the technical requirements contained within the Disability Discrimination Act 1995, BS 8300:2001, the Health & Safety at Work Act 1974 and the Occupiers Liability Act 1957.



gripfit®'s ultra low profile design



Key product benefits

- gripfit®** allows mats to be easily removed for cleaning and replacement
- gripfit®** is a flexible system for use within both entrance and other risk areas
- gripfit®** mats are held securely in place by its edges, without the use of adhesives
- gripfit®** has an ultra low profile design with a combined height of just 7.5mm
- gripfit®** incorporates tactile edging which assists the visually impaired
- gripfit®** can be used on slopes and ramps

Key site benefits

- gripfit®** mats remain securely in place at all times
- gripfit®** can be installed onto any hard surface
- gripfit®** ensures minimal damage to floor surface as it is either screwed or glued
- gripfit®** mats are tamper proof but can easily be removed with a special tool

Product performance

- gripfit®** is designed to withstand high traffic volumes
- gripfit®** has been extensively tested in both retail and warehouse environments
- gripfit®** is ideal for sites requiring a front loading facility
- gripfit®** can be used to reduce soiling between warehouse and retail areas
- gripfit®** can be used in wet areas including kitchens
- gripfit®** allows for forklift trucks being driven removing moisture from wheels

Cost savings

- gripfit®** needs no recessed mat well as it is surface mounted
- gripfit®** requires no digging so no dust and dirt
- gripfit®** can be installed quickly, normally under an hour
- gripfit®** ensures minimal business interruption and loss of revenue



the gripfit[®] advantage

Don't make the hole any bigger!

As the gripfit system is surface mounted there is no need to use excavated recesses or to create them to solve the problem, which saves both time and money as well as disruption and loss of revenue.



Clean and simple

The gripfit system is surface mounted and effectively secures matting to any hard floor surface, including vinyl, concrete, wood, laminate or terrazzo, which allows easy removal for cleaning.

The gripfit system is available in a wide range of sizes to suit most environments.





gripfit® additions



If you have an existing mat well that is either too small or ineffective at removing moisture and soil from entering the property then simply install gripfit after the recessed mat well to increase the walk on area.

Consider that you can: dig a bigger hole to enlarge the recessed matting – expensive! or lay a loose mat after the mat well – trip hazard!

Solution – Simply add gripfit to the floor immediately after the recessed mat to successfully remove risks of slips.



Gripfit matting colours

The gripfit frame is finished as Anodised Silver Aluminium with black corner inserts.

The gripfit textile matting is available in a range of colours.

Safe and Secure Matting

The gripfit frame has been designed to be tamperproof as the cover trim can only be removed by using the gripfit tool.

Should you require a mat that you wish to launder or have serviced on a frequent basis then please contact us.



gripfit® technical specifications

Matting System Specifications

Frame Material	6063 Anodised Aluminium
Corner Material	Impacted Modified Nylon
Textile Mat	Atrium Plus
Yarn Type	Antistatic Polyamide 6.6. mono & multi filaments
Pile Construction	High Twist & Heat Set combination of mono & multi filaments
Thickness of Frame	7.5mm
Thickness of Mat	approx 10mm
Weight	approx 3.5kg per m ²
Pile Weight	approx 850gr per m ²
Dyeing Process	MDT
Backing	Everwear™ vinyl
Safety	Friction DIN 53375 – B
Outdoor Temperature	Indoor Installation Only
Resistance	minus 30°C up to plus 50°C
Light Fastness	Xenotest ISO-105.b02:>6 Blue Scale
Durability	Vetterman Drum Test, Hexapod BS6659 Part 1 & 2, Lisson Tretrad DIN 54322

gripfit system – frame, mat and install tool

GF100150M	100cm x 150cm	2x 910mm Base Trim, 2x 1,410mm Base Trim, 2x 890mm Cover Trim, 2x 1,390mm Cover Trim, 4x gripfit brand corners, plugs & screws, installation instructions plus Install/Removal Tool, 1x 93cm x 143cm mat
GF190150M	190cm x 150cm	2x 1,810mm Base Trim, 2x 1,410mm Base Trim, 4x 895mm Cover Trim, 2x 1,390mm Cover Trim, 4x gripfit brand corners, plugs & screws, installation instructions plus Install/Removal Tool, 1x 183cm x 143cm mat
GF190200M	190cm x 200cm	2x 1,810mm Base Trim, 2x 1,910mm Base Trim, 4x 895mm Cover Trim, 4x 945mm Cover Trim, 4x gripfit brand corners, plugs & screws, installation instructions plus Install/Removal Tool, 1x 183cm x 193cm mat

Additional items

GFBK2	25 m Bulk Kit	10x 2,500mm Un-punched base trim, 10x 2,500mm Cover Trim, 20x brand corners
GFT60	2x 60mm tool	2x Gripfit Install/Removal tools

gripfit® designer mats



In addition to the range of standard mats for use with the gripfit system we are also able to provide customers with a facility to have high quality full colour images reproduced onto our mats providing numerous opportunities for advertising and promotional messages to be displayed in a unique way.

For more information please contact us.





BJC Commercial Services Ltd
Modern Moulds Business Centre
Commerce Way Lancing
West Sussex BN15 8TA England

T: 08700 208869 / + 44 (0)1903 761726
F: 08700 208870 / + 44 (0)1903 752131
E: info@gripfit.eu www.gripfit.eu

International patent pending

Remember

Don't dig it...

Don't glue it...

Simply gripfit it !

Gripfit is a revolutionary new fixed matting system, which is simple to install, without the need to dig an expensive and intrusive mat well, is easily maintainable and provides a durable, long term and inexpensive solution to covering entrance and high wear areas with a safe, moisture and dirt-absorbent, fully fixed mat.